



[View online magazine](#)

- Automation
- Biotechnology
- Cell Cultures
- Chromatography
- Spectrometry, imaging
- Lab Equipment
- Drug Discovery
- Process Technology
- Opinion




[View online magazine](#)

- Secondary drugs in a flu pandemic
- PriorLux MET Metallurgical Microscope
- Ineffective combination

BookMark



Search



Readers Poll

Is the recent offer to clone dead pets morally wrong?

- Yes
- No
- Undecided



[View Results »](#)

Subscribe



[Click here](#) for FREE subscription to eLab and eFood magazines

Newsletter

To tell a colleague about Scientist Live, please enter their email address below



RSS Feed



[View online](#)
magazine

Ingredients


Food Safety

Hygiene

Processing Equipment

Packaging

Technology



[View online](#)
magazine

Happy cows produce more milk

An apple 20 years in the making

Red wine: How it fights Alzheimer's

Get the Scientist Live
RSS Feed



ITCM is a global manufacturer and leading innovator in customised machinery and systems for pharmaceutical packaging and processing.

eLab - Environment

New emphases in Arctic climate change research

Much of circumpolar Arctic research focuses on the physical, direct changes resulting from climate warming such as sea ice retreat and temperature increases. "What's understudied is the living component of the Arctic and that includes humans," said Sydonia "Donie" Bret-Harte, associate professor of biology at the University of Alaska Fairbanks and co-author of a paper to be published September 11, 2009 in the journal Science.

The paper reviews current knowledge on the ecological consequences of climate change on the circumpolar Arctic and issues a call for action in several areas of global climate change research.

"Humans live in the Arctic with plants and animals and we care about the ecosystem services such as filtering water, fiber and food production and cultural values that the Arctic provides" said Bret-Harte, who specialises in Arctic plant ecology in Alaska.

The global average surface temperature has increased by 0.72 F (0.4 C) over the past 150 years and the average Arctic temperature is expected to increase by 6 C. "That's a mind bogglingly large change to contemplate and keep in mind that no one lives at the average temperature," Bret-Harte said.

The international team of scientists who collaborated on this paper reviewed dozens of research documents on the effects of circumpolar Arctic warming. They note that numerous direct effects including lengthening of growing season following a rapid spring melt, earlier plant flowering and appearance of insects following a warmer spring, deaths of newborn seal pups following melting of their under-snow birthing chambers have other, often more subtle, indirect effects on plants, animals and humans that warrants increased attention.

Understanding how changes in plant and animal populations affect each other and how they affect the physical or

nonliving components of the Arctic is critical to understanding how climate warming will change the Arctic.

One effect studied intensively at the UAF Institute of Arctic Biology Toolik Field Station on Alaska's North Slope is shrub expansion on the tundra.

"Shrubs are increasing on the tundra as the climate warms and more shrubs will lead to more warming in the spring," said Bret-Harte. Snow reflects most incoming radiation, which is simply light that can transfer heat. Shrubs that stick out of the snow in spring absorb radiation and give off heat. In this positive feedback cycle, the heating of the air immediately above the snow warms the snow, causing it to melt sooner. Warmer soils lead to increased nutrient availability, which contributes to greater shrub growth, which then contributes to still more warming.

Another effect studied intensively in Alaska occurs under the snow.

"We need to better understand how winter comes and goes and how that drives shifts in plant-animal interactions," said Jeff Welker, professor of biology at the University of Alaska Anchorage. When it didn't snow at Toolik Field Station until Thanksgiving a few years ago the soil got cold and stayed cold. So cold that microbes in the soil were barely active. The spring green-up was slow in coming and likely affected caribou forage, says Welker.

In 2008, the snow started falling in September and never quit. The warmer winter soils with their active microbes were insulated from the cold and were able to provide nutrients to plants that stimulated growth.

The authors call for immediate attention to the conservation of Arctic ecosystems; understanding the ecology of Arctic winters; understanding extreme events such as wildfires and extended droughts; and the need for more baseline studies to improve predictions.

"This paper identifies gaps in our knowledge, what we need to be doing and where the public needs to spend its money," said Welker.

The research team was led by Eric Post, Penn State University, and included biologists, ecologists, geographers, botanists, anthropologists, and fish and wildlife experts from the University of Alberta and the Canadian Wildlife Service in Canada; Aarhus University and the University of Copenhagen in Denmark; the University of Helsinki in Finland; the Arctic Ecology Research Group in France; the Greenland Institute of Natural Resources in Greenland; the University Centre on Svalbard, the University of Tromsø, and the Centre for Saami Studies in Norway; the University of Aberdeen and the University of Stirling in Scotland; Lund University and the Abisko Scientific Research Station in Sweden; the University of Sheffield in the UK; and the Institute of Arctic Biology and the U.S. Geological Survey at the University of Alaska Fairbanks, the Environment and Natural Resources Institute of the University of Alaska Anchorage, and the University of Washington in the United States.

©2008 Setform Limited

Site By OWB