



- Home
  - Nanotechnology
  - Physics
  - Space & Earth
  - Electronics
  - Technology
  - Chemistry
  - Biology**
  - Medicine & Health
  - Other Sciences
- Plants & Animals
  - Evolution**
  - Ecology
  - Cell & Microbiology
  - Biotechnology
  - Other

# Scientists identify likely origins of vertebrate air breathing

October 16, 2012

University of Alaska Fairbanks scientists have identified what they think is the ancestral trait that allowed for the evolution of air breathing in vertebrates. They will present their research at the 42nd annual meeting of the Society for Neuroscience Oct. 17 in New Orleans.

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

Ads by Google

**Asthma Inhaler** - Get Info On An Inhaler Medication For The Treatment of Severe Asthma. - [www.Asthma-Control-Treatment.com](http://www.Asthma-Control-Treatment.com)

"To breathe air with a lung you need more than a lung, you need neural circuitry that is sensitive to carbon dioxide," said Michael Harris, a UAF neuroscientist and lead researcher on a project investigating the mechanisms that generate and control breathing.

"It's the [neural circuitry](#) that allows air-breathing organisms to take in oxygen, which cells need to convert food into energy, and expel the waste carbon dioxide resulting from that process," he said. "I'm interested in where that carbon-dioxide-sensitive [neural circuit](#), called a rhythm generator, came from."

Harris and colleagues think that air breathing likely evolved in an ancestral vertebrate that did not have a lung, but did have a rhythm generator.

"We try to find living examples of primitive non-air-breathing ancestors, like lamprey, and then look for evidence of a rhythm generator that did something other than air breathing," Harris said.

[Lampreys](#) are [ancient fish](#) that have characteristics similar to the first vertebrates. They do not have lungs and do not breathe air. As [larvae](#), they live in tubes dug into soft mud and breathe and feed by pumping water through their bodies. When mud or debris clogs a lamprey's tube, they use a cough-like behavior to expel water and clear the tube. A rhythm generator in their brain controls that behavior.

The video clip below recorded in Harris' lab shows the difference between gill ventilation and a 'cough' in a larval lamprey. The 'cough' occurs at about the 9 second mark.

#1 WORST food for weight gain:



Cut down a bit of your belly every day by never eating this 1 food.

▶ Never eat

Rank 5 / 5 (1 vote)

- Featured
- Last comments
- Popular
- Most shared
- Partners

- ▶ [Is it real? Physicists propose method to determine if the universe is a simulation](#) / Oct 12, 2012 | ★ 4.1 / 5 (47) |
- ▶ [Mars rock touched by Curiosity has surprises](#) / Oct 11, 2012 | ★ 4.9 / 5 (28) |
- ▶ [Accelerators can search for signs of Planck-scale gravity](#) / Oct 15, 2012 | ★ 5 / 5 (22) |
- ▶ [Earth-sized planet found just outside solar system](#) / 17 hours ago | ★ 5 / 5 (22) |
- ▶ [Mug handles could help hot plasma give lower-cost, controllable fusion energy](#) / Oct 11, 2012 | ★ 4.7 / 5 (21) |

[more news](#)

## Related Stories



▶ Sep 24, 2009

[Cockroaches Control Their Breathing to Save Water](#)

▶ Apr 29, 2007

[Breathing easy: When it comes to oxygen, a bug's life is full of it](#)

▶ Feb 24, 2012

[Crocodiles rock the treadmill for research](#)



▶ Jan 16, 2011

[Doctors replace Giffords' breathing tube](#)

## Tags

"We thought the lamprey 'cough' closely resembled air breathing in amphibians," said Harris. "When we removed the brains from lampreys and measured nerve activity that would normally be associated with breathing, we found patterns that resemble breathing and found that the rhythm generator was sensitive to carbon dioxide."

Air breathing evolved in fish and allowed the movement of vertebrates to land and the evolution of reptiles, birds and mammals. Without a carbon-dioxide-sensitive rhythm generator, the structure that would become the lung might not have worked as a lung.

"The evolution of lung breathing may be a repurposing of carbon dioxide sensitive cough that already existed in lungless [vertebrates](#), like the lamprey," said Harris.

Provided by [University of Alaska Fairbanks](#)

[neural circuitry](#), [ancient fish](#), [neural circuit](#), [lampreys](#), [neuroscientists](#), [vertebrates](#), [larvae](#), [carbon dioxide](#), [cough](#), [lung](#), [ventilation](#)

PHYSORG  
**PhysOrg.com - Science, Research, Technology, Physics, Nanotech, Space News**  
 on Facebook

Like

53,532 people like **PhysOrg.com - Science, Research, Technology, Physics, Nanotech, Space News**.

Facebook social plugin

Advertisement



[Men are finding an unlikely testosterone booster...](#)



[The secret of how to learn a foreign language in just 10 days. Read here to find out...](#)



[47yr old man discovers "weird" trick to slash electricity bill by 75%. See video before its banned](#)



[Fairbanks - New rule allows many Alaska residents to get car insurance at half-price.](#)

5 / 5 (1 vote) ★★★★★

[view popular](#) [send feedback to editors](#)

### Relevant PhysicsForums posts

- ▶ [Hippocampus](#)  
Oct 15, 2012
- ▶ [Darwinism: Where is the theory?](#)  
Oct 12, 2012
- ▶ [Amygdala help](#)  
Oct 11, 2012
- ▶ [How much are we genetically pre-programmed](#)  
Oct 11, 2012
- ▶ [How did torsion evolve in snails?](#)  
Oct 09, 2012
- ▶ [Any contraindications of inhaling pure O2?](#)  
Oct 09, 2012
- ▶ More from [Physics Forums - Biology](#)

Please [register](#) or [sign in](#) to add a comment. Registration is free, and takes less than a minute. [Read more](#)

Email

Password

Sign In

Sign in with



Forgot your password? [Click here](#) to reset it.

Notify me via email of follow-up comments posted here  sign in first

### More news stories

#### [Searching for a silver bullet: Measuring biodiversity to inform species conservation](#)

(Phys.org)—Ecologists in the University of Georgia Odum School of Ecology have found that evolutionary diversity can be an effective method for identifying hotspots of mammal biodiversity. In a paper published Oct. 17 in ...

[Biology / Ecology](#)

36 minutes ago | ★ not rated yet | 0

#### [Extreme 'housework' cuts the life span of female Komodo Dragons](#)




Extreme 'housework' cuts the life span of female Komodo Dragons

[Biology / Plants & Animals](#)

2 hours ago | ★ 5 / 5 (1) | 1 | 🔊

#### [Global warming: Changing interactions between species may be more dangerous than high temperatures alone](#)

#### [Study clarifies process controlling night vision](#)



On the road at night or on a tennis court at dusk, the eye can be deceived. Vision is not as sharp as in the light of day, and detecting a bicyclist on the road or a careening tennis ball can be tough.

#### [Research discovers two opposite ways our brain voluntarily forgets unwanted memories](#)



If only there were a way to forget that humiliating faux pas at last night's dinner party. It turns out there's not one, but two opposite ways in which the brain allows us to voluntarily forget unwanted memories, ...

#### [Study questions feasibility of entire genome sequencing in minutes](#)

The claim that nanopore technology is on the verge of making DNA analysis so fast and cheap that a person's entire genome could be sequenced in just minutes and at a fraction of the cost of available commercial methods, has ...



(Phys.org)—Climate change causes extinctions not only as a result of species intolerance to high temperature, but more commonly via a variety of related factors that alter a species' interactions with other ...

[Biology / Ecology](#)

4 hours ago | not rated yet | 2 |

### [Long-term study examines social network, 'friendships' of 45 female baboons](#)



(Phys.org)—Some pairs of female baboons form relationships that look a lot like "friendships," a group of researchers has found.

[Biology / Plants & Animals](#)

4 hours ago | not rated yet | 0 |

### [Protecting native birds by manipulating rats' sense of smell](#)




(Phys.org)—Rats' keen sense of smell can be exploited to dramatically reduce their attacks on native birds, researchers from the University of Sydney have shown. The technique could be adapted to protect ...

[Biology / Plants & Animals](#)

5 hours ago | 5 / 5 (1) | 0 |

### [New technique for sorting live cells may expedite biomedical research](#)



(Phys.org)—Researchers from North Carolina State University and University of North Carolina at Chapel Hill have developed a new technique that uses sound waves to rapidly separate selected collections ...

### [Beyond Bieber: Twitter improves student learning](#)

(Phys.org)—Twitter, best known as the 140-character social-networking site where Justin Bieber and Lady Gaga chit-chat with fans, has become a new literary format that is improving student learning, a new study argues.

### [Use of anti-psychotic drugs by people with dementia 'under reported'](#)

The scale of the challenge to reduce the use of anti-psychotic drugs by people with dementia may be under-estimated, according to researchers from Aston University and the University of East Anglia, working with NHS Kent ...

- [top](#)
- [Home](#)
- [Medical Xpress](#)
- [Search](#)

- [Help](#)
- [What's new](#)
- [About us](#)
- [Contact / FAQ](#)
- [Partners](#)

- [PhysOrg Account](#)
- [Sponsored Account](#)
- [Newsletter](#)
- [RSS feeds](#)

- [iPhone iPad Apps](#)
- [Blackberry App](#)
- [Android App&Widget](#)
- [Amazon Kindle](#)
- [PDA version](#)

- [Feature Stories](#)
- [Weblog & Reports](#)
- [Podcasts](#)
- [Archive](#)

- [Facebook](#)
- [Twitter](#)