

[Research Projects](#)
[Scientists](#)
[All Videos](#)
[Learn More](#)

Posted on October 30th, 2012 by Laura

[No Comments](#)

Scientists identify likely origins of vertebrate air breathing

 Category: [General](#), Tags: [biology](#), [breathing](#), [carbon dioxide](#), [evolution](#), [gill](#), [lamprey](#), [lungs](#), [neuroscience](#), [research](#), [rhythm generator](#), [science](#), [University of Alaska Fairbanks](#), [ventilation](#), [vertebrates](#)

by Marie Thoms


University of Alaska Fairbanks scientists have identified what they think is the ancestral trait that allowed for the evolution of air breathing in vertebrates. They presented their research at the 42nd annual meeting of the Society for Neuroscience Oct. 17 in New Orleans.

"To breathe air with a lung, you need more than a lung, you need neural circuitry that is sensitive to carbon dioxide," said Michael Harris, a UAF neuroscientist and lead researcher on a project investigating the mechanisms that generate and control breathing.

"It's the neural circuitry that allows air-breathing organisms to take in oxygen, which cells need to convert food into energy, and expel the waste carbon dioxide resulting from that process," he said. "I'm interested in where that carbon-dioxide-sensitive neural circuit, called a rhythm generator, came from."

Harris and colleagues think that air breathing likely evolved in an ancestral vertebrate that did not have a lung, but did have a rhythm generator.

"We try to find living examples of primitive non-air-breathing ancestors, like lamprey, and then look for evidence of a rhythm generator that did something other than air breathing," Harris said.



Lampreys are ancient fish that have characteristics similar to the first vertebrates. They do not have lungs and do not breathe

Related People

Kate Hedstrom



Oceanographic Specialist,
Arctic Region
Supercomputing Center,
Fairbanks, Alaska
[profile >](#)

Seth Danielson



Research Oceanographer,
Institute of Marine Science,
University of Alaska
Fairbanks
[profile >](#)

Thomas Weingartner



Professor Physical
Oceanography, University
of Alaska Fairbanks
[profile >](#)

Andy Mahoney



Assistant Research
Professor in Geophysics,
University of Alaska
Fairbanks

air. As larvae, they live in tubes dug into soft mud and breathe and feed by pumping water through their bodies. When mud or debris clogs a lamprey's tube, they use a cough-like behavior to expel water and clear the tube. A rhythm generator in their brain controls that behavior.

"We thought the lamprey 'cough' closely resembled air breathing in amphibians," said Harris. "When we removed the brains from lampreys and measured nerve activity that would normally be associated with breathing, we found patterns that resemble breathing and found that the rhythm generator was sensitive to carbon dioxide."

Air breathing evolved in fish and allowed the movement of vertebrates to land and the evolution of reptiles, birds and mammals. Without a carbon-dioxide-sensitive rhythm generator, the structure that would become the lung might not have worked as a lung.

"The evolution of lung breathing may be a repurposing of carbon dioxide sensitive cough that already existed in lungless vertebrates, like the lamprey," said Harris.

Harris and collaborators Barbara Taylor, a UAF neuroscientist, and their lab technician Megan Hoffman, also study Sudden Infant Death Syndrome and hope understanding the evolutionary origin of breathing will provide insights into their SIDS research.

Find more Arctic science at [Frontier Scientists](#)

ADDITIONAL CONTACTS: Michael Harris, associate professor of integrative physiology and neuroscience, 907-474-7801, mbharris@alaska.edu. Barbara Taylor, associate professor of biology in neuroscience, 907-474-2487, betaylor@alaska.edu. Megan Hoffman, research technician, 907-474-5024, mhoffman2@alaska.edu


ON THE WEB: Society for Neuroscience annual meeting: <http://www.sfn.org/am2012/>

Institute of Arctic Biology: www.iab.uaf.edu

NOTE TO EDITORS: Michael Harris and Megan Hoffman are attending the Society for Neuroscience meeting in New Orleans. Harris is available via text message at 907-590-7516.

Originally posted at University of Alaska Fairbanks News: Headlines by Marie Thoms on Oct – 15 – 2012
<http://uafcornerstone.net/scientists-identify-likely-origins-of-vertebrate-air-breathing/>

The video clip below recorded in Harris' lab shows the difference between gill ventilation and a "cough" in a larval lamprey. The "cough" occurs at about the 9 second mark.



[profile >](#)

Related Articles

Know your land: Alaska maps



Laura Nielsen for Frontier Scientists Over eight thousand historical maps of Alaska are now available to the public through the United States Geological Survey's Historical Topographic Map Collection. The collection includes maps of Alaska crafted as long ago as 1899, maps created to commemorate Alaska's induction into statehood in January 1959, and more. Records of [...] [read more >](#)

Alaska's view of the new sea-ice minimum



by Ned Rozell As the northern end of the globe nods away from the sun at fall equinox, the amount of sea ice floating on the northern oceans is now at the lowest amount ever detected by satellites, a period that goes back to 1979. This new sea-ice minimum follows an extremely cold Alaska winter [...] [read more >](#)

Posted on October 23rd, 2012 by Laura

[No Comments](#)

Know your land: Alaska maps

Category: [Climate Change Watch](#), [Computational Science](#), [General](#), Tags: [Alaska](#), [cartographic](#), [climate change](#), [culture](#), [free](#), [Geographical Information Systems](#), [geography](#), [GeoPDFs](#), [Last Frontier](#), [library](#), [map](#), [maps](#), [nation](#), [national](#), [research](#),